

COUNTY LOCAL LAWS

Ann Arbor, Michigan 48106

PDI Plumbing and Drainage Institute
 1018 N. Austin Blvd.
 Oak Park, Illinois 60302

IAPMO INTERNATIONAL ASSOCIATION OF PLUMBING &
 MECHANICAL OFFICIALS
 5032 ALHAMBRA AVENUE
 LOS ANGELES, CALIF. 90032

NOTE 2: ASTM Standards are issued under fixed designations; the final number indicates the year of original adoption, or in the case of revision, the year of last revision. "T" indicates Tentative. In the CS series of standards, also, the final number indicates the year of issue. For Federal Specifications, the year indicated in Table 3.1.3. is that of the date of issue or that of the latest revision or amendment.

NOTE 3: All standards and specifications for materials are subject to change. Designations carrying indication of the year of issue may thus become obsolete. Table 3.1.3. gives the full designations of standards current at the time this Code is printed. The Administrative Authority is required to review this table and have it brought up to date at intervals not exceeding two years.

TABLE 3.1.3

"NOTE": Standards on materials do not imply that these materials may be used for a specific service. Materials permitted for a specific service shall be specified under the various chapters of this code.

6.6 Drainage Below Curb Level

6.6.1 Fixtures Subject to Backflow

Drainage piping serving fixtures that are located below the elevation of the curb at the point where the building sewer crosses under the curb [or] AT property line and above the crown level of the main sewer, may drain by gravity into the main sewer and [shall] MAY be protected from backflow of sewage by installing an approved type of back water valve.

6.6.2 Fixture Branches Subject To Backflow

Backwater valve [shall] MAY be installed only in that branch or section of the drainage system which receives the discharge from fixtures [located] as stated in 6.6.1